Identification:

Product Identity: Crosslinker Catalyst

Recommended Use: Water-Borne Coating Catalyst

Producer / Distributor

Roll-On Floor Systems, LLC 1001 South Main Street Euless, Texas 76040

Telephone Number for Information: 650-324-0881 **Emergency Telephone Number:** 800-255-3924



Hazard Identification:

Classification:

Health Class Physical Class Environment Class

Acute Toxicity Category 5 Serious Eye Damage Category 1 Skin Sensitizer

Label

Symbols

Hazard Statements:

May be harmful if swallowed. Causes serious eye damage. May cause an allergic skin reaction.

Precautionary Statements:

Wear eye protection.

Avoid breathing dust/vapors.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

Call a doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs: Get medical attention.

Take off contaminated clothing and wash it before reuse.

Dispose of contents in accordance with local regulations.

Composition/Information on Ingredients

Percent by **CAS Number** Ingredient Weight Polyfunctional Azirdine 64265-57-2

First-Aid Measures:

Ingestion: If Swallowed: Do not induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person.

Eye Contact: Flush eyes with running water for at least 15 minutes. Obtain medical attention.

Skin Contact: Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse.

Inhalation: Move to fresh air.

Fire Fighting Measures:

Foam - Water Fog - CO2 - Dry Chemical Suitable Extinguishing Media:

Special Fire Fighting Procedures: Fight Fire from safe distance. Use water to cool containers to prevent pressure build up. Unusual Fire and Explosion Hazards Can become unstable at elevated temperature. May react with water but not violently.

Accidental Release Measures:

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

7. Handling and Storage:

Handling: Keep from freezing. Keep out of reach of children.

Maintain Temperature Minimum 40°F (4°C) - Maximum 100°F (38°C)

8. Exposure Controls / Personal Protection:

Exposure Limits:

IngredientsCAS NumberOsha PELACGIH TLVNone ListedXXXXXXXXXX

Exposure Controls:

Engineering Controls: Normal good ventilation is sufficient

Personal Protective Equipment:

Eye Protection: Approved Safety Goggles or Glasses

Skin Protection: Chemical Resistant Rubber (Neoprene)Gloves **Respiratory Protection:** Not required, Avoid breathing spray mist

9. Physical and Chemical Properties:

Physical State: Liquid pH: Not Applicable

Appearance: Yellow Specific Gravity (H2O = 1): 1.068 Odor: Flammability: Combustible Solubility: Negligible Flash Point: $150^{\circ}F$ ($66^{\circ}C$) Evaporation Rate: NA Boiling Point: $\sim 301^{\circ}F$ ($149^{\circ}C$)

Vapor Pressure (MM HG): NA %volatile: 20%

Vapor Density (Air = 1): > 1

10. Stability and Reactivity:

Chemical Stability: Stable

Possibility of Hazardous Reactions: Polymerization may occur if mixed with acidic materials Incompatability (Materials to Avoid): Acidic Materials, Anhydroides, Strong Oxidizers

Hazardous Decomposition or By-products: CO2, CO, Oxides of Nitrogen **Hazardous Polymerization:** May occur if mixed with acidic materials

Conditions to Avoid: Heat, Direct Sunlight, Ultraviolet Radiation, Freezing Conditions

11. Toxicological Information:

Signs and Symptoms of Overexposure: May cause irritation on contact

Acute Effects:

Eye Contact: Corrosive to Eyes

Skin Contact: May cause an allergic skin reaction

Inhalation: Breathing mists may cause lung damage or allergic reaction

Ingestion: May be harmful if swallowed Target Organ Effects: None Known

Chronic Effects: Mutagenic Activity: Crosslinker Catalyst was tested for potential mutagenic activity in microbial assays using the reverse mutation technique described by Ames. A dose-related increased reversion frequency over the spontaneous rate was obtained,

and a value of 0.18 revertants per microgram was calculated. Chemicals similar in structure to Crosslinker Catalyst have been

found to cause cancer in laboratory animals.

Acute Toxicity Values:

Oral LD $_{50} = 300 - 2000 \text{ mg/kg}$ Dermal LD $_{50} = 1000 - 2000 \text{ mg/kg}$ Inhalation (Vapor) LC $_{50} = 10 - 20 \text{ mg/l}$

12. Ecological Information:

Persistence and Degradability: Not Available **Bio Accumulative Potential:** Not Available

Mobility in Soil: Not Available **Aquatic Toxicity:** Not Available

13. Disposal Considerations:

Material that cannot be used during normal use should be disposed of in accordance with all applicable local, state and federal regulations.

14. Transportation Information:

UN Number: None

Shipping Name: Paint, Lacquer, or Varnish

Transport Hazard Class: None

Packing Group: None
Marine Pollutant: NO

15. Regulatory Information:

TSCA Status: All ingredients listed

Clean Water Act: none of the chemicals in this product are listed under the CWA **Clean Air Act:** None of the chemicals in this product are listed under the CAA

CERCLA Reportable Quantity: None

SARA Title III Information:

Section 302 Extremely Hazardous Chemicals: None Listed

Section 311 / 312 Hazard Category: Immediate Health, Chronic Health

Section 313 Toxic Chemicals: None Listed

State Regulations: Notice State of California; Warning; This product may contain chemicals known to the state of California to cause cancer or

reproductive defects as trace impurities in the standard industrial materials used in the manufacture of this product.

International Regulations: WHMIS Controlled Product Hazard Class: D2B

16. Other Information:

Prepared By: Ron Camp

Telephone Number: 651-481-1900

Revision Date: 6/7/2013 **Supersedes:** 4/1/2012

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the



Health	2
Flammability	0
Physical hazards	0