1. Identification

67

	Product Identity: Traction Clean Recommended Use: Neutral pH Cleaner & Degreaser Producer / Distributor Roll-On Floor Systems, LLC 233 West Pipeline Road Hurst, Texas 76053		SKATE FLOOR SYSTEMS, LLC			
	Telephone Number for Information: 650-324-0881 Emergency Telephone Number: 800-255-3924					
2.	Hazard Identification Classification: Health Class Product Classified as Non-Hazardous Label Symbols	Physical Class	Environment Class			
	Signal Word Hazard Statements: Product classified as non-hazardous. Precautionary Statements: Read label before use. Keep out of reach of children.					
3.	Composition/Information on Ingredients Ingredient Ethoxylated Alcohol Propylene Glycol n-butyl Ether Dipropylene Glycol Methyl Ether Water	<b>CAS Number</b> 68439-46-3 5131-66-8 34590-94-8 7732-18-5	Percent by Weight 1 - 5 1 - 5 1 - 5 60 - 100			
-	<ul> <li>First-Aid Measures:         Ingestion: If Swallowed: Do not induce vomiting. Drink water in large amounts and call a physician immediately. Never give anything by mouth to an unconscious person.     </li> <li>Eye Contact: Flush eyes with running water for at least 15 minutes. If irritation persists, obtain medical attention.</li> <li>Skin Contact: Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse.     </li> <li>Inhalation: If ill effects occur from breathing vapors, remove victim to fresh air, keep warm and quiet, contact physician.</li> </ul>					
-	Fire Fighting Measures: Suitable Extinguishing Media: Not Applicable Special Fire Fighting Procedures: Not Applicable Unusual Fire and Explosion Hazards Not Applicable					
i.	Accidental Release Measures: Dike and contain spill with inert material (sand, earth, etc.). Coll Thoroughly rinse affected area with water.	ect spill with a mop, absorbent r	material (example: floor-dry) or vacuum.			
-	Handling and Storage: Handling:Keep from freezing. Keep out of reach of children.Storage:Normal care for storage.					

ou				1,2,2020	
8.	Exposure Controls / Personal Protection: Exposure Limits Ingredients Dipropylene Glycol Methyl Ether Exposure Controls Engineering Controls: Ventilate to maintain vapor levels Personal Protective Equipment: Eye Protection: Approved Safety Goggles or Glasses Skin Protection: Chemical Resistant Rubber Gloves Respiratory Protection: Not required, Avoid breathing		Osha PEL 100 ppm	ACGIH TLV 100 ppm	
9.	Physical and Chemical Properties:         Physical State:       Liquid         Appearance:       Hazy Green         Odor:       Fruity         Solubility:       Complete         Evaporation Rate:       NA         Vapor Pressure (MM HG):       NA         Vapor Density (Air = 1):       NA	pH: 7 - 8 Specific Gravity (H2O = 1): Flammability: None Flash Point: None Boiling Point: > 212° F (100 %volatile: > 85%			
10.	Stability and Reactivity: Chemical Stability: StablePossibility of Hazardous Reactions:None are knownIncompatability (Materials to Avoid):None are knownHazardous Decomposition or By-products:NoneHazardous Polymerization:Will not OccurConditions to Avoid:None are known				
11.	Toxicological Information:         Signs and Symptoms of Overexposure:       May cause irritation on direct contact         Acute Effects:       Eye Contact:       May cause irritation on contact         Skin Contact:       May cause irritation on contact         Inhalation:       May be harmful with overexposure         Ingestion:       May be harmful if swallowed         Target Organ Effects:       None Known         Chronic Effects:       Overexposure to Dipropylene Glycol Methyl Ether has been found to affect the Liver and Kidneys         Acute Toxicity Values:       Oral LD 50       > 5000 mg/kg         Dermal LD 50       > 5000 mg/kg         Inhalation (Vapor) LC 50       > 50 mg/l				
12.	Ecological Information:         Persistence and Degradability:       Product is Readily Biodegradable         Bio Accumulative Potential:       Not Available         Mobility in Soil:       Not Available         Aquatic Toxicity:       Harmful to Aquatic Life				
13.	<b>Disposal Considerations:</b> Material that cannot be used during normal use should be dis Waste from normal cleaning procedures may be disposed of cleaned as well as local, state and federal sewer regulations.				
14.	Transportation Information:UN Number:NoneShipping Name:Cleaning Compound, LiquidTransport Hazard Class:NonePacking Group:NoneMarine Pollutant:NO				

## 15. Regulatory Information:

TSCA Status: All ingredients listed Clean Water Act: None of the chemicals in this product are listed under the CWA Clean Air Act: None of the chemicals in this product are listed under the CAA CERCLA Reportable Quantity: None SARA Title III Information: Section 302 Extremely Hazardous Chemicals: None Listed Section 311 / 312 Hazard Category: Immediate Health, Chronic Health Section 313 Toxic Chemicals None Listed

## State Regulations: None

International Regulations: None

## California Cleaning Product Right to Know Act of 2017 (SB 258)

Raw Material	CAS No	Function	List
Water	7732-18-5	Diluent	Not Applicable
Ethoxylated Alcohol	68439-46-33	Detergent	Not Applicable
Propylene Glycol Monobutyl Ether	5131-66-8	Solvent	Not Applicable
Dipropylene glycol methyl ether	34590-94-8	Solvent	Not Applicable
Potassium Hydrogen Octanoate	68127-33-3	Detergent	Not Applicable
Fragrance Ingredient	Not Available	Fragrance	Not Applicable
Sodium Iminodisuccinate	144538-83-0	Chelator	Not Applicable
Xanthan Gum	11138-66-2	Thickener	Not Applicable
Citric Acid	77-92-9	Buffer	Not Applicable
Colorant	Withheld	Dye	Not Applicable

## 16. Other Information:

Prepared By: Jeremy Waldner Telephone Number: 651-481-1900 Revision Date: 1/2/2020 Supersedes: 4/7/2019 This SDS applies to the following Part Numbers The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



