	Identification Product Identity: Roll On Ultra Clear Recommended Use: Water-borne wood floor Coa Producer / Distributor Roll-On Floor Systems, LLC	iting	<u>Roll-on</u> °				
	233 West Pipeline Road Hurst, Texas 76053 Telephone Number for Information: 650-324-08	881 5	SKATE FLOOR SYSTEMS, LLC				
	Emergency Telephone Number: 800-255-3924						
2.	Hazard Identification						
	Classification: Health Class	Physical Class	Environment Class				
	Eye Irritant Category 2						
	Label						
	Symbols						
	· · ·						
	$\sim$						
	Signal Word Warning						
	Hazard Statements:						
	Causes eye irritation.						
	Precautionary Statements:						
	Wash hands thoroughly after handling.						
	Wear eye protection.						
		ral minutes. Remove contact lenses, if pre	sent and easy to do Continue rinsing				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention.	ral minutes. Remove contact lenses, if pre	sent and easy to do. Continue rinsing.				
	IF IN EYES: Rinse cautiously with water for sever	ral minutes. Remove contact lenses, if pre					
-	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient	ral minutes. Remove contact lenses, if pre CAS Number	sent and easy to do. Continue rinsing. Percent by Weight				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion	CAS Number Proprietary	Percent by Weight 20 - 30				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient	CAS Number	Percent by Weight				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether	CAS Number Proprietary Proprietary Proprietary 29911-28-2	Percent by Weight 20 - 30 1 - 10 1 - 10 1 - 5				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin	CAS Number Proprietary Proprietary Proprietary	Percent by Weight 20 - 30 1 - 10 1 - 10				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether	CAS Number Proprietary Proprietary Proprietary 29911-28-2	Percent by Weight 20 - 30 1 - 10 1 - 10 1 - 5				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri	CAS Number Proprietary Proprietary 29911-28-2 7732-18-5	Percent by Weight 20 - 30 1 - 10 1 - 10 1 - 5 50 - 100				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person.	CAS Number Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys	Percent by Weight 20 - 30 1 - 10 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person. Eye Contact: Flush eyes with running water for at lea	CAS Number Proprietary Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys	Percent by Weight 20 - 30 1 - 10 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by medical attention.				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person. Eye Contact: Flush eyes with running water for at lea Skin Contact: Flush thoroughly with cool water. Rem	CAS Number Proprietary Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys	Percent by Weight 20 - 30 1 - 10 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by medical attention.				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person. Eye Contact: Flush eyes with running water for at lea Skin Contact: Flush thoroughly with cool water. Remain Inhalation: Move to fresh air.	CAS Number Proprietary Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys	Percent by Weight 20 - 30 1 - 10 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by medical attention.				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person. Eye Contact: Flush eyes with running water for at lea Skin Contact: Flush thoroughly with cool water. Remu Inhalation: Move to fresh air.	CAS Number Proprietary Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys	Percent by Weight 20 - 30 1 - 10 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by medical attention.				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person. Eye Contact: Flush eyes with running water for at lea Skin Contact: Flush thoroughly with cool water. Remu Inhalation: Move to fresh air. Fire Fighting Measures: Suitable Extinguishing Media: Not Applicable	CAS Number Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys ast 15 minutes. If irritation persists, obtain r ove and wash contaminated clothing befor	Percent by Weight 20 - 30 1 - 10 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by medical attention.				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person. Eye Contact: Flush eyes with running water for at lea Skin Contact: Flush thoroughly with cool water. Remu Inhalation: Move to fresh air. Fire Fighting Measures: Suitable Extinguishing Media: Not Applicable Special Fire Fighting Procedures: Not Applicable	CAS Number Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys ast 15 minutes. If irritation persists, obtain r ove and wash contaminated clothing befor	Percent by Weight 20 - 30 1 - 10 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by medical attention.				
5_ 	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person. Eye Contact: Flush eyes with running water for at lea Skin Contact: Flush thoroughly with cool water. Remu Inhalation: Move to fresh air. Fire Fighting Measures: Suitable Extinguishing Media: Not Applicable Special Fire Fighting Procedures: Not Applicable Unusual Fire and Explosion Hazards Not Applicable	CAS Number Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys ast 15 minutes. If irritation persists, obtain r ove and wash contaminated clothing befor	Percent by Weight 20 - 30 1 - 10 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by medical attention.				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person. Eye Contact: Flush eyes with running water for at lea Skin Contact: Flush thoroughly with cool water. Remu Inhalation: Move to fresh air. Fire Fighting Measures: Suitable Extinguishing Media: Not Applicable Special Fire Fighting Procedures: Not Applicable Unusual Fire and Explosion Hazards Not Applicable	CAS Number Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys ast 15 minutes. If irritation persists, obtain r ove and wash contaminated clothing befor	Percent by Weight 20 - 30 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by medical attention. re reuse.				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person. Eye Contact: Flush eyes with running water for at lea Skin Contact: Flush thoroughly with cool water. Remu Inhalation: Move to fresh air. Fire Fighting Measures: Suitable Extinguishing Media: Not Applicable Special Fire Fighting Procedures: Not Applicable Unusual Fire and Explosion Hazards Not Applicable	CAS Number Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys ast 15 minutes. If irritation persists, obtain r ove and wash contaminated clothing befor	Percent by Weight 20 - 30 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by medical attention. re reuse.				
-	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person. Eye Contact: Flush eyes with running water for at lea Skin Contact: Flush thoroughly with cool water. Remu Inhalation: Move to fresh air. Fire Fighting Measures: Suitable Extinguishing Media: Not Applicable Special Fire Fighting Procedures: Not Applicable Unusual Fire and Explosion Hazards Not Applicable Dike and contain spill with inert material (sand, earth, e Thoroughly rinse affected area with water.	CAS Number Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys ast 15 minutes. If irritation persists, obtain r ove and wash contaminated clothing befor	Percent by Weight 20 - 30 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by medical attention. re reuse.				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person. Eye Contact: Flush eyes with running water for at lea Skin Contact: Flush thoroughly with cool water. Remu Inhalation: Move to fresh air. Fire Fighting Measures: Suitable Extinguishing Media: Not Applicable Special Fire Fighting Procedures: Not Applicable Unusual Fire and Explosion Hazards Not Applicable Dike and contain spill with inert material (sand, earth, e Thoroughly rinse affected area with water.	CAS Number Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys ast 15 minutes. If irritation persists, obtain r ove and wash contaminated clothing befor able	Percent by Weight 20 - 30 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by medical attention. re reuse.				
	IF IN EYES: Rinse cautiously with water for sever If eye irritation persists: Get medical attention. Composition/Information on Ingredients Ingredient Aliphatic Polyester Polyurethane Emulsion Acrylic Polymer Polyurethane resin Dipropylene Glycol Monobutyl Ether Water First-Aid Measures: Ingestion: If Swallowed: Do not induce vomiting. Dri mouth to an unconscious person. Eye Contact: Flush eyes with running water for at lea Skin Contact: Flush thoroughly with cool water. Remu Inhalation: Move to fresh air. Fire Fighting Measures: Suitable Extinguishing Media: Not Applicable Special Fire Fighting Procedures: Not Applicable Unusual Fire and Explosion Hazards Not Applicable Dike and contain spill with inert material (sand, earth, e Thoroughly rinse affected area with water.	CAS Number Proprietary Proprietary 29911-28-2 7732-18-5 ink water in large amounts and call a phys ast 15 minutes. If irritation persists, obtain r ove and wash contaminated clothing befor able etc.). Collect spill with a mop, absorbent m	Percent by Weight 20 - 30 1 - 10 1 - 5 50 - 100 ician immediately. Never give anything by medical attention. re reuse.				

Sa	rety Data Sheet (SDS) 905350 Roll O			5/24/2017		
8.	Exposure Controls / Personal Protection: Exposure Limits Ingredients None Listed Exposure Controls Engineering Controls: Normal good ventilation is sufficient Personal Protective Equipment: Eye Protection: Approved Safety Goggles or Glasses Skin Protection: Chemical Resistant Rubber (Neoprene)Glove Respiratory Protection: Not required, An organic vapor ma		Osha PEL XXX	ACGIH TLV XXX		
9.	Physical and Chemical Properties:   Physical State: Liquid   Appearance: Milky White   Odor: Mild   Solubility: Complete   Evaporation Rate: NA   Vapor Pressure (MM HG): NA   Vapor Density (Air = 1): NA	pH: 7-8 Specific Gravity (H2O = 1): Flammability: None Flash Point: None Boiling Point: > 212° F (100° %volatile: 70%				
10.	Stability and Reactivity: Chemical Stability: StablePossibility of Hazardous Reactions:None are knownIncompatability (Materials to Avoid):None are knownHazardous Decomposition or By-products:NoneHazardous Polymerization:Will not OccurConditions to Avoid:None are known					
11.	Toxicological Information:   Signs and Symptoms of Overexposure: Causes irritation on contact   Acute Effects: Eye Contact: Causes irritation on contact   Skin Contact: May cause irritation on prolonged contact   Inhalation: None Known   Ingestion: May be harmful if swallowed   Target Organ Effects: None Known   Chronic Effects: None Known   Acute Toxicity Values: Oral LD 50 > 5000 mg/kg   Dermal LD 50 > 5000 mg/kg Inhalation (Vapor) LC 50 > 50 mg/l					
12.	Ecological Information:   Persistence and Degradability: Not Available   Bio Accumulative Potential: Not Available   Mobility in Soil: Not Available   Aquatic Toxicity: Not Available					
13.	Disposal Considerations: Material that cannot be used during normal use should be disposed of in accordance with all applicable local, state and federal regulations.					
14.	Transportation Information: UN Number: None Shipping Name: Paint, Lacquer, or Varnish Transport Hazard Class: None Packing Group: None Marine Pollutant: NO					

## 15. Regulatory Information:

TSCA Status: All ingredients listed Clean Water Act: None of the chemicals in this product are listed under the CWA Clean Air Act: None of the chemicals in this product are listed under the CAA CERCLA Reportable Quantity: None SARA Title III Information: None Listed Section 302 Extremely Hazardous Chemicals: Section 311 / 312 Hazard Category: Immediate Health Section 313 Toxic Chemicals: None Listed

State Regulations: None International Regulations:

WHMIS Controlled Product Hazard Class: D2B

## 16. **Other Information:**

Prepared By: Eric Scholl Telephone Number: 651-481-1900 Revision Date: 5/24/2017 Supersedes: 6/7/2013 This SDS applies to the following Part Numbers

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



